

Victaulic® Products, Approvals and Publications

PRODUCT INDEX

Style No.	Product Description	App. Body	Pub.
COUPLINGS			
Style 005	FireLock Rigid Cplg.	UL/FM/ULC	10.01, 10.02
Style 07	Zero-Flex® Rigid Cplg.	UL/FM/ULC	06.02, 10.01
Style W07	AGS Rigid Coupling	—	20.02
Style 07-JIS	Zero-Flex Rigid Cplg. for JIS pipe	—	06.17
Style 009	FireLock EZ™ Coupling	UL/FM/ULC	10.01, 10.60
Style 22	Vic®-Ring Cplg.	—	16.01, 16.02
Style 24	Expand End Cplg.	—	PB-181
Style 31	Cplg. - AWWA	UL/FM/ULC	10.01, 16.03, 23.02
Style 41	Cplg. Shouldered Cast Iron (Vic-Rings)	—	16.01, 16.04
Style 44	Cplg. Vic-Ring	—	16.01, 16.05
Style 51	Closure Cplg. - AWWA	—	23.07
Style HP-70	Rigid Cplg.	UL/FM/ULC	06.12, 10.01
Style HP-70ES	EndSeal® Cplg.	—	06.13
Style 72	Outlet Cplg.	UL/FM/ULC	06.10, 10.01
Style 74	O. D. Cplg.	—	06.05
Style 75	Cplg.	UL/FM/ULC	06.05, 10.01
Style 77	Std. Flexible Cplg.	UL/FM/ULC	06.04, 10.01
Style W77	AGS Flexible Coupling	—	20.03
Style 77S	Flexible Cplg. - Stainless	—	17.03
Style 77-JIS	Std. Flexible Cplg. for JIS pipe	—	06.17
Style 77A	Flexible Cplg. - Aluminum	—	21.01, 21.04
Style 78	Snap-Joint Cplg.	—	06.09
Style 78A	Snap-Joint Cplg. - Aluminum	—	21.02, 21.04
Style 89	Rigid Coupling for Stainless Steel	—	17.24
Style 99	Roust-A-Bout® Cplg. Rigid Plain End	UL/ULC	10.01, 14.02
Style 307	Transition Cplg. - AWWA to IPS	UL/FM/ULC	10.01, 23.03
Style 400	OverCplg.	—	—
Style 401	Repair	—	—
Style 402	Cplg.	—	—
Style 475	Lightweight Cplg. - SS	—	17.14
Style 489	Rigid Coupling - SS	—	17.25
Style 505	Pressfit® Cplg.	UL/FM/ULC	10.01, 12.02
Style 506	Pressfit Slip Cplg. (P X P)	UL/FM/ULC	10.01, 12.02
Style 507	Pressfit Cplg. - Stainless (P X P)	—	18.01
Style 508	Pressfit Slip Cplg. - Stainless (P X P)	—	18.01
Style 597	Type 304 Pressfit S.S. Std. Cplg.	—	18.02
Style 598	Type 304 Pressfit S.S. Slip Cplg.	—	18.02
Style 606	Coupling - Copper	UL/ULC	10.01, 22.02
Style 707-JIS	JIS Transition Cplg.	—	06.16
Style 750	Reducing Cplg.	UL/FM/ULC	06.08, 10.01
Style 770	Lg. Diameter Cplg.	—	06.03
Style 780	Snap-Joint Dbl. Grv. Cplg.	—	—
Style 781	Assembly Hndl/Snap-Joint	—	—
Style 791	Vic-Boltless® Cplg.	UL/FM/ULC	06.11, 10.01

Style No.	Product Description	App. Body	Pub.
Style 792	Assembly Hndl. Vic-Boltless	UL/FM/ULC	06.11, 10.01
Style 808	High Press. Dbl. Gr. Cplg.	—	15.01
Style 830	CPVC Coupling	UL/FM	80.01
Style 831	CPVC Reducer Coupling	UL/FM	80.01
Style 832	CPVC Grooved Coupling Adapter (Grv x Soc)	UL/FM	80.01
Style 995	HDPE Cplg.	FM	19.02
Style 995M	Metric HDPE Cplg.	—	19.05
Style 997	HDPE-to-Std. Gr. Transition Cplg.	FM	19.03

FITTINGS

No. 001	FireLock® 90° Elbow	UL/FM/ULC	10.01, 10.03
No. 002	FireLock Tee	UL/FM/ULC	10.01, 10.03
No. 003	FireLock 45° Elbow	UL/FM/ULC	10.01, 10.03
No. 006	FireLock Cap	UL/FM/ULC	10.01, 10.03
No. 10	90° Elbow	UL/FM/ULC	07.01, 10.01
No. W10	AGS 90° Elbow	—	20.05
No. 10A	90° Elbow - Aluminum	—	21.03
No. 10C	90° Elbow - AWWA	UL/FM/ULC	10.01, 23.05
No. 10CLR	90° Elbow Lg. Rad. - AWWA	UL/FM/ULC	10.01, 23.05
No. 10DR	Drain Elbow	UL/FM/ULC	10.05, 10.01
No. 10R	Red. Base Elbow	UL/FM/ULC	07.01, 10.01
No. 10RC	90° Red. Elbow - AWWA	UL/FM/ULC	10.01, 23.05
No. 10P	90° Plain End - Elbow	UL/ULC	10.01, 14.04
No. 10-3D	90° Lg. Rad. Elbow - 3D	—	07.02
No. 10-5D	90° Lg. Rad. Elbow - 5D	—	07.02
No. 10-6D	90° Lg. Rad. Elbow - 6D	—	07.02
No. 11	45° Elbow	UL/FM/ULC	07.01, 10.01
No. W11	AGS 45° Elbow	—	20.05
No. 11A	45° Elbow - Aluminum	—	21.03
No. 11C	45° Elbow - AWWA	UL/FM/ULC	10.01, 23.05
No. 11P	45° Plain End - Elbow	UL/ULC	10.01, 14.04
No. 11 - 3D	45° Lg. Rad. Elbow - 3D	—	07.02
No. 11 - 5D	45° Lg. Rad. Elbow - 5D	—	07.02
No. 11 - 6D	45° Lg. Rad. Elbow - 6D	—	07.02
No. 12	22½° Elbow	UL/FM/ULC	07.01, 10.01
No. W12	AGS 22½° Elbow	—	20.05
No. 12C	22½° Elbow - AWWA	UL/FM/ULC	10.01, 23.05
No. 12 - 3D	22½° Lg. Rad. Elbow - 3D	—	07.02
No. 12 - 5D	22½° Lg. Rad. Elbow - 5D	—	07.02
No. 12 - 6D	22½° Lg. Rad. Elbow - 6D	—	07.02
No. 13	11¼° Elbow	UL/FM/ULC	07.01, 10.01
No. W13	AGS 11¼° Elbow	—	20.05
No. 13C	11¼° Elbow - AWWA	UL/FM/ULC	10.01 23.05
No. 13 - 3D	11¼° Lg. Rad. Elbow - 3D	—	07.02
No. 13 - 5D	11¼° Lg. Rad. Elbow - 5D	—	07.02
No. 13 - 6D	11¼° Lg. Rad. Elbow - 6D	—	07.02
No. 14 - 3D	60° Lg. Rad. Elbow - 3D	—	07.02

Style No.	Product Description	App. Body	Pub.
No. 14 - 5D	60° Lg. Rad. Elbow - 5D	—	07.02
No. 14 - 6D	60° Lg. Rad. Elbow- 6D	—	07.02
No. 15 - 3D	30° Lg. Rad. Elbow - 3D	—	07.02
No. 15 - 5D	30° Lg. Rad. Elbow - 5D	—	07.02
No. 15 - 6D	30° Lg. Rad. Elbow - 6D	—	07.02
No. 18	90° Adpt. Elbow MPT x Grv.	—	07.01
No. 19	45° Adpt. Elbow MPT x Grv.	—	07.01
No. 20	Tee	UL/FM/ULC	07.01, 10.01
No. W20	AGS Tee	—	20.05
No. 20A	Tee - Aluminum	—	21.03
No. 20C	Tee - AWWA	UL/FM/ULC	10.01, 23.05
No. 20P	Tee - Plain End	UL/ULC	10.01, 14.04
No. 20SS	Tee - Stainless	—	17.04
No. 21	Bullhead Tee	UL/FM/ULC	07.01, 10.01
No. 22	Manifold Hdr. Tee-ES Grvd.	—	07.03
No. 25	Red. Tee	UL/FM/ULC	07.01, 10.01
No. W25	AGS Red. Tee	—	20.05
No. 25C	Red. Tee - AWWA	UL/FM/ULC	10.01, 23.05
No. 25P	Red. Tee - Plain End	UL/ULC	10.01, 14.04
No. 25SS	Red. Tee – SS	—	PB-222, 17.04
No. 27	Standpipe Tee	UL/FM/ULC	07.01, 10.01
No. 29	Red. Tee Thd. MPT Br.	—	07.01
No. 29M	Tee Thd. MPT Branch	UL/FM/ULC	07.01, 10.01
No. 29T	Tee Thd. FPT	UL/FM/ULC	07.01, 10.01
No. 30	45° Lateral	UL/FM/ULC	07.01, 10.01
No. W30	AGS 45° Lateral	—	20.05
No. 30C	45° Lateral - AWWA	UL/FM/ULC	10.01, 23.05
No. 30P	45° Lateral - Plain End	UL/ULC	10.01, 14.04
No. 30R	45° Red. Lateral	UL/FM/ULC	07.01, 10.01
No. W30R	AGS 45° Red. Lateral	—	20.05
No. 30RC	45° Red. Lateral - AWWA	UL/FM/ULC	10.01, 23.05
No. 31	60° Lateral	—	—
No. 32	Tee Wye	UL/FM/ULC	07.01, 10.01
No. 32R	Red. Tee Wye	UL/FM/ULC	07.01, 10.01
No. 33	True Y	UL/FM/ULC	07.01, 10.01
No. W33	AGS True Wye	—	20.05
No. 33P	True Y - Plain End	UL/ULC	10.01, 14.04
No. 34	Mining Header Y	—	—
No. 35	Cross	UL/FM/ULC	07.01, 10.01
No. W35	AGS Cross	—	20.05
No. 35C	Cross - AWWA	UL/FM/ULC	10.01, 23.05
No. 35ES	Extra Heavy Cross	—	07.03
No. 35P	Cross - Plain End	UL/ULC	10.01, 14.04
No. 35RC	Reducing Cross	UL/FM/ULC	10.01, 23.05
No. 40	Adpt. Nipple Vic X Thd. MPT	—	07.01
No. 40A	Adpt. Nipple Vic X Thd. MPT - Aluminum	—	21.03
No. 40P	Adpt. Nipple Plain X Thd. MPT	UL/ULC	10.01, 14.04
No. 41	Grvd to Flg. Adpt. Nipple (125)	UL/FM/ULC	07.01, 10.01
No. 42	Adapter Nipple Grv. X Bevel	—	07.01
No. W42	AGS Grv. X Bevel Nipple	—	20.05
No. 42A	Adpt. Nipple Grv. X Bevel - Aluminum	—	21.03
No. 42P	Adpt. Nipple Plain X Bevel	UL/ULC	10.01, 14.04
No. 43	Nipple Grv. X Grv.	UL/FM/ULC	07.01, 10.01
No. W43	AGS Grv. X AGS Grv. Nipple	—	20.05
No. 43A	Nipple Grv. X Grv. - Aluminum	—	21.03
No. 43P	Nipple Plain X Grv.	UL/ULC	10.01, 14.04

Style No.	Product Description	App. Body	Pub.
No. 45	Grvd. Flange Adpt. Nipple (150#)	—	07.01
No. W45R	AGS ANSI Cl.150 Flange Adpt. Nipple	—	20.05
No. 46	Grvd. Flange (300#) Adpt. Nipple	—	07.01
No. 47	Clearflow Dielectric Waterway	—	09.07
No. 48	Hose Nipple	UL/FM/ULC	07.01, 10.01
No. W49	AGS Grv. X C606 Grv. Nipple	—	20.05
No. 50	Reducer - Concentric	UL/FM/ULC	07.01, 10.01
No. W50	AGS Reducer - Concentric	—	20.05
No. 50A	Reducer - Aluminum	—	21.03
No. 50C	Reducer - AWWA	UL/FM/ULC	10.01, 23.05
No. 50SSLT	Reducer - Concentric – SS	—	17.04
No. W51	AGS Reducer - Eccentric	—	20.05
No. 51C	Red. Eccentric - AWWA	UL/FM/ULC	10.01, 23.05
No. 51SSLT	Reducer - Eccentric - SS	—	17.04
No. 52	Red. Thd. MPT Small End	UL/FM/ULC	07.01, 10.01
No. 53	Swgd. Red. Gr. X Gr.	—	07.01
No. 53P	Swaged Reducer Plain End	UL/ULC	10.01, 14.04
No. 54	Swgd. Reducer TSE	—	07.01
No. 55	Swgd. Reducer TLE	—	07.01
No. 60	Cap	UL/FM/ULC	07.01, 10.01
No. W60	AGS Cap	—	20.05
No. 60A	Cap - Aluminum	—	21.03
No. 60C	Cap - AWWA	UL/FM/ULC	10.01, 23.05
No. 60SS	Cap - Stainless Steel	—	17.04
No. 61	Steel Bull Plug	UL/FM/ULC	07.01, 10.01
No. 61P	Steel Bull Plug, Plain End	UL/ULC	10.01, 14.04
No. 62ES	Extra Heavy 90° Elbow	—	07.03
No. 63ES	Extra Heavy 45° Elbow	—	07.03
No. 64ES	Extra Heavy Tee	—	07.03
No. 67	End of Run Fitting	UL/FM/ULC	10.21, 10.01
No. 80	Adpt. Grv. X FPT	UL/FM/ULC	07.01, 10.01
No. 100	90° Elbow Lg. Rad.	UL/FM/ULC	07.02, 10.01
No. W100	AGS 1½D 90° Elbow Lg. Rad	—	20.05
No. 100C	90° Elbow Lg. Rad. - AWWA	UL/FM/ULC	10.01, 23.05
No. 100P	90° Elbow Lg. Rad. - Plain End	UL/ULC	10.01, 14.04
No. 100SS	90° Elbow Lg. Rad. – SS	—	17.04
No. 110	45° Elbow Lg. Rad.	UL/FM/ULC	07.02, 10.01
No. W110	AGS 1½D 45° Elbow Lg. Rad	—	20.05
No. 110P	45° Elbow Lg. Rad. - Plain End	UL/ULC	10.01, 14.04
No. 110SS	45° Elbow, Lg. Rad - SS	—	17.04
Style 410SS	90° Elbow – SS ASTM A403	—	17.16
Style 411SS	45° Elbow – SS ASTM A403	—	17.16
Style 420SS	Tee – SS ASTM A403	—	17.16
Style 425SS	Red. Tee – SS ASTM A403	—	17.16
Style 450SS	Red. - Concentric – SS ASTM A403	—	17.16
Style 509	Pressfit 90° Elbow, Short (P X P)	UL/FM/ULC	10.01, 18.02
Style 510	Pressfit 90° Elbow (P X P)	UL/FM/ULC	10.01, 12.02
Style 511	Pressfit 45° Elbow (P X P)	UL/FM/ULC	10.01, 12.02
Style 520	Pressfit Tee (P X P X P)	UL/FM/ULC	10.01, 12.02
Style 520	Pressfit Tee Red. Branch (P X P X P)	UL/FM/ULC	10.01, 12.02
Style 520	Pressfit Tee Red. Branch (P X P X F)	UL/FM/ULC	10.01, 12.02
Style 520	Pressfit Tee Red. Branch and Run (P X P X F)	UL/FM/ULC	10.01, 12.02
Style 520	Pressfit Tee Red. Branch and Run (P X P X P)	UL/FM/ULC	10.01, 12.02

Style No.	Product Description	App. Body	Pub.
Style 547	Grooved End Union	—	18.02
Style 548	Grooved End Union	—	18.01
Style 550	Pressfit Reducer (I X P)	UL/FM/ULC	10.01, 12.02
Style 568	Type 316 SS Pressfit 90° Elbow – Short	—	18.01
Style 570	Pressfit 90° Elbow - Stainless	—	18.01
Style 571	Pressfit 45° Elbow - Stainless	—	18.01
Style 572	Pressfit Tee - Stainless	—	18.01
Style 573	Pressfit Tee Red. Br. - Stainless	—	18.01
Style 574	Pressfit Con. Red. - Stainless	—	18.01
Style 576	Pressfit Male Adpt. - Stainless	—	18.01
Style 577	Type 316 Pressfit S.S. Transition Nipple	—	18.01
Style 578	Type 316 Pressfit S.S. Tee Reducing Branch	—	18.01
Style 579	Type 316 Pressfit S.S. Female Thd. Adapter	—	18.01
Style 580	Pressfit Adpt. Fem. Thd. (P X F)	UL/FM/ULC	10.01, 12.02
Style 580	Pressfit Adpt. Male Thd. (P X M)	UL/FM/ULC	10.01, 12.02
Style 582	Type 304 SS Pressfit Reducer Insert	—	18.02
Style 584	Type 304 SS Pressfit Threaded Union	—	18.02
Style 585	Type 316 SS Pressfit Threaded Union	—	18.01
Style 586	Type 304 SS Pressfit 90° Elbow – Short	—	18.02
Style 587	Type 304 Pressfit S.S. Transition Nipple	—	18.02
Style 588	Type 304 Pressfit S.S. Reducing Threaded Branch	—	18.02
Style 590	Type 304 Pressfit S.S. 90° Elbow	—	18.02
Style 591	Type 304 Pressfit S.S. 45° Elbow	—	18.02
Style 592	Type 304 Pressfit S.S. Tee	—	18.02
Style 593	Type 304 Pressfit S.S. Tee Reducing Pressfit Branch	—	18.02
Style 594	Type 304 Pressfit S.S. Conc. Reducer	—	18.02
Style 596	Type 304 Pressfit S.S. Male Adapter	—	18.02
Style 599	Type 304 Pressfit S.S. Female Threaded Adapter	—	18.02
No. 610	90° Elbow - Copper	UL/ULC	10.01, 22.04
No. 611	45° Elbow - Copper	UL/ULC	10.01, 22.04
No. 620	Tee - Copper	UL/ULC	10.01, 22.04
No. 625	Red. Tee Gr. X Gr. X Gr. - Copper	UL/ULC	10.01, 22.04
No. 626	Red. Tee Gr. X Gr. X Cup - Copper	UL/ULC	10.01, 22.04
No. 650	Con. Red. Gr. X Gr. - Copper	UL/ULC	10.01, 22.04
No. 652	Con. Red. Gr. X Cup - Copper	UL/ULC	10.01, 22.04
No. 660	Cap - Copper	UL/ULC	10.01, 22.04
No. 810	CPVC 90° El	UL/FM	80.01
No. 811	CPVC 45° El	UL/FM	80.01
No. 812	CPVC 90° Reducing El	UL/FM	80.01
No. 813	CPVC 90° El w/ Brass Thd. Insert (Soc x Brass FIPT)	UL/FM	80.01
No. 814	CPVC 90° El w/ Steel Reinf. Plastic Thread (Soc x Sr FIPT)	UL/FM	80.01
No. 820	CPVC Tee	UL/FM	80.01
No. 821	CPVC Sprinkler Tee w/ Brass Thread Insert	UL/FM	80.01
No. 822	CPVC Sprinkler Tee w/ Brass Thd. Insert	UL/FM	80.01

Style No.	Product Description	App. Body	Pub.
No. 823	CPVC Sprinkler Tee w/ Brass Thd. Insert	UL/FM	80.01
No. 824	CPVC Sprinkler Tee w/ Steel Reinf. Plastic Thd.	UL/FM	80.01
No. 825	CPVC Reducing Tee	UL/FM	80.01
No. 826	CPVC Bullhead Tee w/Steel Reinf. Plastic Thread	UL/FM	80.01
No. 835	CPVC Cross	UL/FM	80.01
No. 836	CPVC Cross w/ Red. Ends	UL/FM	80.01
No. 850	CPVC Union	UL/FM	80.01
No. 851	CPVC Transition Union with Brass Threaded Insert	UL/FM	80.01
No. 852	CPVC Red. Bushing (Spig x Soc) Flush Style	UL/FM	80.01
No. 860	CPVC Cap	UL/FM	80.01
No. 865	CPVC Fem. Adapter – Brass Thd. Insert	UL/FM	80.01
No. 866	CPVC Fem. Adapter – Steel Reinforced Plastic Thread Style	UL/FM	80.01
No. 867	CPVC Spigot Fem. Adapter – Brass Thd. Insert	UL/FM	80.01
No. 880	CPVC Fem. Sprinkler Adapter w/ Brass Thd. Insert	UL/FM	80.01
No. 881	CPVC Fem. Sprinkler Adapter w/ SR Insert	UL/FM	80.01
No. 882	CPVC Fem. Sprinkler Adapter – Brass Thd. Insert	UL/FM	80.01
No. 883	CPVC Spigot Sprinkler Adapter – Steel Reinf.	UL/FM	80.01
No. 884	CPVC Adjustable Sprinkler Adapter – Brass Thread Insert	UL/FM	80.01
No. 885	CPVC Adjustable Sprinkler Adapter – Brass Thread	UL/FM	80.01
No. 888	CPVC Female Sprinkler Adapter – Brass Thd.	UL/FM	80.01
No. 889	CPVC Female Sprinkler Adapter – Brass Thd. Insert Style	UL/FM	80.01

FLANGE ADAPTERS

Style 341	Vic-Flange® Adpt. - AWWA	UL/FM	10.01, 23.04
Style 441	Vic-Flange Adapter - SS	—	17.27
Style 565	Type 304 SS Pressfit Van Stone Flange Adapter	—	18.02
Style 566	Type 316 SS Pressfit Van Stone Flange Adapter	—	18.01
Style 575	Pressfit Flange Adpt. - Stainless	—	18.01
Style 595	Type 304 Pressfit S.S. Flange Adapter	—	18.02
Style 641	Vic-Flange Adpt. - Copper	UL/ULC	10.01, 22.03
Style 741	Vic-Flange Adapter	UL/FM/ULC	06.06, 06.07, 10.01
Style 743	Vic-Flange Adapter 300#	—	06.06
Style 744	FireLock Flange Adapter	UL/FM/ULC	10.01, 10.04
Style 994	HDPE Flange	FM	19.04

HOLE CUT PRODUCTS

Style 920	Mechanical-T® Outlet	UL/FM/ULC	10.01, 11.02
Style 920N	Mechanical-T Outlet	UL/FM/ULC	10.01, 11.02
Style 922	FireLock Outlet-T	UL/FM/ULC	10.01, 10.52
Style 923	Vic-Let™ Strapless Outlet	UL/ULC	10.01, 11.05
Style 924	Vic-O-Well™ Therm. Outlet	—	11.06
Style 926	Mining Spigot Assembly	—	11.07

Style No.	Product Description	App. Body	Pub.
VALVES			
Style 156	Mining Valve Hdr.	—	PB-216
Style 157	Mining Valve Hdr.	—	PB-216
Style 158	Mining Valve Hdr.	—	PB-216
Vic-300®	Vic-300 MasterSeal™ Butterfly Valve	—	08.20
Series 317	AWWA Check Valve	—	23.09
Series 365	Vic-Plug™ Valve - AWWA	—	23.06
Series 366	Vic-Plug Valve - IPS	—	23.06
Series 377	Vic-Plug Balancing Valve	—	08.12
Series 522	Pressfit Ball Valve	—	12.02, 12.05
Series 569	Pressfit Type 316 Stainless Ball Valve	—	18.02, 18.03
Series 589	Brass Body Pressfit Ball Valve with Stainless Steel Ends	—	18.02
Series 608	Butterfly Valve - Copper	UL/ULC	22.05
Series 700	Butterfly Valve	—	08.05
Series 705-W	Butterfly Valve – 300 psi	UL/FM	10.06
Series 706	Lg. Dia. Butterfly Valve – 300 psi	—	08.17
Series W706	AGS 300 psi Butterfly Valve	—	20.06
Series 709	Lg. Dia. Butterfly Valve – 175 psi	—	08.03
Series W709	AGS 175 psi Butterfly Valve	—	20.07
Series 712	Swinger®-Swing Check Valve	—	08.11
Series 712S	Swinger Check Valve - Stainless	—	17.08
Series 713	Swinger-1000 psi	—	08.11
Series W715	AGS Dual Disc Vic-Check Valve	—	20.08
Series 716	Vic-Check® Valve	—	08.08
Series 717	FireLock Check Valve	UL/FM/ULC	10.01, 10.08
Series 717R	Riser Check Valve	UL/FM/ULC	10.01, 10.09
Series 722	Bronze Body Ball Valve	UL/FM	08.15, 10.01
Series 723	Diverter Valve	—	08.14
Series 723S	Three Port Diverter Valve - Stainless	—	17.07
Series 726	Ball Valve	—	08.23
Series 726S	Stainless Steel Ball Valve	—	17.22
Series 728	FireLock Ball Valve	UL/FM/ULC	10.01, 10.17
Series 748	FireLock Ball Valve	—	30.44
Series 751	FireLock Alarm Check Valve	UL/FM/ULC	10.01, 30.01
Series 756	FireLock Dry System Check Valve	UL/FM/ULC	10.01, 30.03
Series 758	FireLock Actuated Valve with Deluge Trim	UL/FM/ULC	10.01, 30.04
Series 758	FireLock with Preaction Trim	UL/FM/ULC	10.01, 30.05
Series 763	Butterfly Valve - SS	—	17.23
Series 779	Venturi Check Valve	—	08.10
Series 782/783	TA Bypass		PB-233
Series 785	TA TBVS Sweated End Mini Circuit Balancing Valve	—	08.16
Series 786	TA Soldered End Circuit Balancing Valve	—	08.16
Series 787	TA NPT Fem. Thd. Circuit Balancing Valve	—	08.16
Series 788	TA Flgd. End Circuit Balancing Valve	—	08.16
Series 789	TA Gr. End Circuit Balancing Valve	—	08.16

Style No.	Product Description	App. Body	Pub.
ACCESSORIES – GROOVED			
Style 150	Mover® Expansion Joint	—	09.04
Style 155	Expansion Joint	—	09.05
Series 730	Vic-Strainer® Tee Type	—	09.02
Series W730	AGS Vic-Strainer	—	20.11
Series 731-G	Suction Diffuser	—	09.14
Series W731-G	AGS Suction Diffuser	—	20.10
Series 732	Vic-Strainer Wye Type	—	09.03
Series 733	Venturi Indicator	—	09.08
Series 734	Orifice Indicator	—	09.09

ACCESSORIES – FIRE PROTECTION

Series 720	TestMaster™ II Alarm Module	UL/FM/ULC	10.01, 10.22
Series 735	Fire Pump Test Meter	UL/FM/ULC	10.01, 10.11
Series 745	FireLock Fire-Pac	UL/FM/ULC	30.23
Series 746	Low Pressure Actuator	UL/FM/ULC	30.64
Style 747	Riser Manifold Assembly	UL/FM/ULC	10.96
Style 747-P	Riser Manifold Assembly with Pressure Relief Option	UL/FM	10.98
Series 749	Auto Drain Assembly	UL/FM/ULC	30.43
Series 752	Retard Chamber	UL/FM/ULC	10.01, 30.31
Series 753A	Dry Actuator	UL/FM/ULC	10.01, 10.36*
Series 755	Manual Release Panel	UL/FM/ULC	10.01, 30.41
Series 757	Air Maintenance Trim	UL/FM/ULC	10.01, 10.39*
Series 760	Water Motor Gong	UL/FM/ULC	10.01, 30.38
Series 776	Combined Actuator/Accelerator	UL/FM/ULC	10.01, 30.46
Series 798	Double Pneumatic Actuator	UL/FM/ULC	10.49*

*As these submittals are updated, they will be assigned a 30.XX number. If unable to locate the submittal under the 10.XX number, please check 30.XX.

MISCELLANEOUS

No. 36	Vic Blast Nozzle (Canada only)	—	—
Series 736	TA Link Diff. Press. Sensor	—	08.16
Style 737	HH Circuit Bal. Instrument	—	08.16
Style 738	TA Meter – Portable Differential	—	09.11
No. 805	CPVC FireLock Pipe	UL/FM	80.01

TOOLS

Roll Groovers

VE12	Groove In-Place - Steel	—	24.01
VE26S	Groove In-Place - Steel	—	24.01
VE26C	Groove In-Place - Copper	—	24.01
VE226/S/B/M/ BSS/MSS	Portable Roll Groover - Steel	—	24.01
VE226C	Portable Roll Groover - Copper	—	24.01
VE272SFS	Field Roll Groover	—	24.01
VE414MC	Vic-Easy Roll Groover	—	24.01
VE416FS/FSD	Field Roll Groover	—	24.01
VE436	Production Vic-Easy Roll Groover	—	24.01
VE46	Groove In Place	—	24.01

Cut Groovers

Vic-Groover	Individual Groover	—	24.01
VG28GD	Adjustable Cut Groover	—	24.01
VG824	Adjustable Cut Groover	—	24.01
VG412	Orbital Tool	—	24.01

Style No.	Product Description	App. Body	Pub.
Other Tools			
HCT908	Portable Hole Cutting Tool	—	24.01
PFT505	Pressfit Electric Tool	—	24.01
Style 930	Vic-Tap® Mechanical-T	—	24.01
Style 931	Vic-Tap II	—	24.01
VCT1	Cut-Off Tool - Manual	—	24.01
VCT2	Cut-Off Tool - Electric	—	24.01
VHCT900	Vic Hole Cutting Tool	—	24.01
DP512-O	Dropmaster	—	24.01
Accessories			
VAPS112	Small Pipe Stand	—	24.01
VAPS224	Heavy Duty Pipe Stand	—	24.01
VAPS3036	Large Diameter Pipe Stand	—	24.01
VE26/46	Power Drive Kit	—	24.01
VE226	Power Drive Kit	—	24.01
VPD752	Power Drive	—	24.01
LSCR	Speed Reduction Control	—	24.01
Power Mule	Power Drive	—	24.01
Pipe Tape	Diameter Tape	—	24.01